

KEMCO® MEK Cleaning Agent



Application area

- Cleaning agent for the cleaning of existing KEMPEROL® surfaces after work breaks or longer interruptions
- To clean working equipment
- To clean substrates
- To degrease metals

Features

- Highly effective
- Highly volatile
- Organic solvent
- System-tested and adapted to the intended purpose

Storage

Cool and dry.

Pack size

3 l, 10 l and 30 l metal container

Consumption

Depending on the degree of soiling approx. 200 g/m².

Properties

Form	Liquid
------	--------

* Values obtained at a temperature of 23 °C - 50% rel. humidity. These values vary depending on the weather conditions, such as wind, humidity and temperature.

Application

Preparing the substrate

Dampen a cloth with KEMCO® MEK Cleaning Agent and use it to apply it to surfaces previously treated with KEMPEROL® or soiled substrates avoiding puddles of material. After cleaning remove all residual KEMCO® MEK Cleaning Agent. Before further coating, allow the solvent of KEMCO® MEK Cleaning Agent to evaporate sufficiently.

PPE

Personal protective equipment must be worn.

When applying the product in closed rooms, sufficient ventilation is necessary! Caution: explosion hazard!

Important note

KEMCO® MEK Cleaning Agent must only be used according to its intended use as a cleaning agent for surfaces and tools.

Caution: may result in dissolving plastic surfaces (acrylic glass etc.)!

The safety data sheets, the container labelling and the danger and the safety recommendations on the containers must be complied with during transport, storage and processing; as are the chemical trade association information sheets.

Do not allow to enter waters, waste water or soil.

Disposal

liquid	EAK 07 02 04
--------	--------------

GISCODE

GF40

General information

The times given above are reduced with higher and increased with lower ambient and substrate temperatures. KEMPER SYSTEM products must not be mixed with other manufacturers' products.

Only for commercial use.

Our technical data sheets / technical information and application instructions reflect the current level of knowledge in our company and the experience with our products. In each case, the new edition supersedes the previous technical information and renders it invalid. It is therefore necessary that you always have to hand the current code of practise. The latest version can be retrieved from the KEMPER SYSTEM Login section. When using our products, a detailed, object-related and qualified inspection is required in each individual case in order to determine whether the product and /or application technology in question meets the specific requirements and purposes. We are liable only for our products being free from faults, and this only if our relevant product has been used and applied according to the instructions in our technical data sheets. Correct application of our products therefore falls entirely within the scope of liability and responsibility of the user (contractor). Our products are sold exclusively on the bases of our conditions of sale and delivery.

Issued: Vellmar, 2017-12-20