

KEMPEROL CP catalyst powder



Uses

- Reaction agent (hardener) for hardening the KEM-PEROL V 210 M Sealing and KEMPEROL BR M Sealing
- Reaction agent (hardener) for hardening the KEM-PEROL AC and KEMPERDUR AC products

Pack sizes

UP (KEMPEROL V 210 M , KEMPEROL BR M): 0.6 kg plastic bag

PMMA (AC-products):

20 x 20 g plastic bag

10 x 100 g plastic bag

25 kg container

Shelf Life

Can be stored cool, frost-free, dry and unopened. Best before: see container label.

Must be stored separately. Safety instructions on the packaging and the safety data sheets must be observed.

Usage guide

Refer to the technical data sheet of the corresponding product to determine the quantity of catalyst powder to be added.

Properties

Forn	n Powder
*	Values obtained at a temperature of 23 °C - 50% rel. humidity. These values vary depending on the weather conditions, such as wind, humidity and temperature.

CE marking

Component to 2	ETA 03/0025
	ETA 03/0026
Component to 1	ETA 03/0025

Component to 4

ETA 03/0026

Application

Mix according to the mixing instructions for the products mentioned above.

Always wear personal protective equipment (breathing equipment with filter A/P2, protective gloves, safety goggles).

Important notes

The BG-Chemie technical data sheets must be observed during application.

Do not allow to enter waters, drains or to penetrate the ground.

Protect against heat and direct sunlight.

Disposal

Catalyst Powder	solid	EWC 16 05 08
-----------------	-------	--------------

General information

Times are shortened in the case of higher and are longer in the case of lower ambient temperatures and subsurface temperatures. No substances of other systems may be mixed into the products of the KEMPER SYSTEM.

Only for commercial use.

Our technical data sheets / technical information and application instructions reflect the current level of knowledge in our company and the experience with our products. In each case, the new edition supersedes the previous technical information and renders it invalid. It is therefore necessary that you always have to hand the current code of practise. The latest version can be retrieved from the KEM-PER SYSTEM Login section. When using our products, a detailed, object-related and qualified inspection is required in each individual case in order to determine whether the product and /or application technology in question meets the specific requirements and purposes. We are liable only for our products being free from faults, and this only if our relevant product has been used and applied according to the instructions in our technical data sheets. Correct application of our products therefore falls entirely within the scope of liability and responsibility of the user (contractor). Our products are sold exclusively on the bases of our conditions of sale and delivery.

Issued: Vellmar, 2021-03-15